



EUROPEAN LIFTING DEVICES

LIFTING and WIRE ROPE ACCESSORIES

Unexceptionable attention to details

According to and exceeding the European and American standards.







Light and heavy duty bearings.









Lockable latch for hazardous applications and off-shore.





105 - 106 Series Self-Locking Swivel Hook








GRADE 8 CHAIN FITTINGS

According to EN 1677 151 - 302 Series Single and Sub-Assembly Master Link





Forged Safety Latch for a superior configuration.



The product range best known and most reliable



181 - 191 Series Connecting Link and Web Sling Connector



Our parts are supplied in ELD successful standard color: "Matt Red".
We can also handle special colors.

General recommendations.

You can get the warning and application instructions of our products by contacting ELD technical department or by downloading them yourself from internet together with the updated catalogue.

ELD distributors have to be concerned that end-users are knowledgeable with use, inspection and maintenance of our products.

O.E.M.s that install ELD lifting components on their machines, are responsible for their

O.E.M.s that install ELD litting components on their machines, are responsible tor their correct application.

ELD lifting devices must always be used in full compliance with the manufacturer's instructions and with the regulations in force.

Do not make modifications without specific approval by the ELD technical office.

Do not exceed the Working Load Limit. Shock loading must be avoided.

Fitness, positioning and grip of the loads must always be checked before lifting operations. Markings and ID Tags must never be altered.

We strongly recommend a visual and functional inspection before use. A monthly check of wear, stretch and deformation of all components and markings. At least once per year, (if necessary by means of magnetic or liquid dye test) must be ensured the integrity of the whole lifting item.

The WLL must be adequately reduced in case of severe and corrosive environments. In these operating conditions and in the presence of possible wear or damage, it is necessary to have a comprehensive examination made by a qualified inspector.

Improper use can create a seriously dangerous situation for the safety of exposed persons.




Precise machining and controlled heat treatment to ensure a real fatigue resistence.



183 - 184 Series Eye and Clevis Grab Hook also available with Locking Pin.





norms.

FORGING SPECIALIST

ELD is the division of Feat Group SPA which specializes in: "The art of making hooks".

Feat is known as a worldwide leader in steel hot forgings for high performance and safety applications. FEAT makes use of technologically advanced closed die mechanical presses which are automated using robots. The combination of ELD's engineering expertise in designing lifting components and the metallurgical expertise of FEAT, allows us to supply a superior product that comply with the highest demands expected by the market.

All pictures and concepts presented in this brochure are for illustrative purposes only. The company reserves the right to make any change it deems appropriate.

ELD is a dynamic company and its range of products can be modified or integrated as necessary as per customer requirements, or changed to current industry parameters.

ELD guarantees quick deliveries by keeping in stock all the Series presented here.

ELD International distributors are carefully selected directly by our head office and are required to uphold the highest level of professionalism.

Thanks to a flexible organization it is always possible to develop strategic projects directly with company owners.









FORGING SPECIALIST

ELD is the division of Feat Group SPA which specializes in: "The art of making hooks".

Feat is known as a worldwide leader in steel hot forgings for high performance and safety applications. FEAT makes use of technologically advanced closed die mechanical presses which are automated using robots. The combination of ELD's engineering expertise in designing lifting components and the metallurgical expertise of FEAT, allows us to supply a superior product that comply with the highest demands expected by the market.

All pictures and concepts presented in this brochure are for illustrative purposes only. The company reserves the right to make any change it deems appropriate.

ELD is a dynamic company and its range of products can be modified or integrated as necessary as per customer requirements, or changed to current industry parameters.

ELD guarantees quick deliveries by keeping in stock all the Series presented here.

ELD International distributors are carefully selected directly by our head office and are required to uphold the highest level of professionalism.

Thanks to a flexible organization it is always possible to develop strategic projects directly with company owners.









SPARE PARTS always available in stock, for proper maintenace



SPARE PARTS always available in stock, for proper maintenace



CUSTOMIZED elements for hoist







FORGED LIFTING COMPONENTS FOR OEM

Either raw pieces or machined ready to be assembled.

Low, medium and high alloy steel: P - T - V.

Faithful compliance with the most widespread and recognised norm, the DIN 15400.

Non-destructive tests 100%



Typical products destined for crane applications and the companies that specialize in after-market.



640 - 635 Series Single and Double Suspension





Our patented Weld-On-Bucket Hooks made in Sweden, are well estabilished and trusted all over the world.



140 - 135 and 540 - 535 Series Raw, Machined, Point and Ramshorn Hooks



Sheaves. Induction hardening of the throat and heavy duty bearings on demand.









QUALITY MAKER



The integrity of the core product is influenced by the qualification of the forger. Feat Group is historically recognised from the global brands as a reference supplier in hot steel forming.



ELD guarantees the traceability of all products through a marking code.

Each code is linked to its own certificate which is available in the reserved area of the web site and backed up on our server. The conformity certificate contains the informations relating to the manufacturing batch, as well as the material characteristics and mechanical properties in compliance with industrial norms and customers requests.

We can issue special inspection's certificates for additional controls, and welcome external inspectors.





Our quality system imposes rigid production cycles and 100% visual control before packaging.

Destructive and non destructive tests are carried out in the central lab of Feat.

ELD is internally equipped with dedicated machines for tests on the final product: Manufacturing Proof Test, 20,000 Cycle Fatigue Test and Tensile Strength Test.

Once the hook reaches the breaking load limit, it withstands a strong deformation, but does not break.







Technicians use modern Computer Aided Design, forging simulation software, and Finite Element Modeling.



E.L.D. EUROPEAN LIFTING DEVICES

Division of FEAT GROUP S.p.A. Via Portoni, 205 - 21044 Cavaria con Premezzo (VA) - ITALY Phone: +39 0331.73571 Fax +39 0331.219933 eld@featgroup.com - **www.featgroup.com**

